

Safety Data Sheet (SDS) AMALIE Elixir Full Synthetic 5W-50 ATV/UTV

Product Code: 814955081 Revision Date: 07/24/2024

Section	1.	Identification
----------------	----	----------------

1.1. Product identifier

Product Identity Alternate Names

Company Name

N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use See Technical Data Sheet.
 1.3. Details of the supplier of the safety data sheet

AMALIE OIL COMPANY (Florida) 1601 McCloskey Boulevard

AMALIE Elixir Full Synthetic 5W-50 ATV/UTV

Tampa, Florida 33605 U.S.A.

Emergency 24 hour Emergency Telephone No. Customer Service:

ChemTel 1-800-255-3924 24 hr (813)248-1988 info@amalie.com www.amalie.com

Section 2. Hazard(s) identification

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

No applicable GHS categories.

[Prevention] No GHS prevention statements [Response] No GHS response statements [Storage] No GHS storage statements [Disposal] No GHS disposal statements

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Lubricating Oils (petroleum), C20-50, hydrotreated neutral oil-based CAS Number: 72623-87-1	25 - 50	Not Classified	
Octadecene, reaction products with hexadecene, hydrogenated CAS Number: 2241366-04-9	25 - 50		
Distillates (petroleum), solvent-dewaxed light paraffinic CAS Number: 64742-56-9	5 - 10	Not Classified	
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS Number: 64742-65-0	5 - 10	Not Classified	
Distillates Hydrotreated Heavy Parrafin CAS Number: 64742-54-7	1 - 5	Not Classified	
Zinc alkyldithiophosphate CAS Number: 84605-29-8	1 - 5	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 2;H411	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important syr	nptoms and effects, both acute and delayed
Overview	No specific symptom data available. Treat symptomatically. Check section 2.2 (GHS Label Elements) for further details.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No.

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: No available information

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure				
CAS No.	Ingredient	Source	Value	
64742-54-7	Distillates Hydrotreated Heavy Parrafin	OSHA	No Established Limit	
		ACGIH	No Established Limit	
		NIOSH	No Established Limit	
64742-56-9	Distillates (petroleum), solvent-dewaxed	OSHA	No Established Limit	
	light paraffinic	ACGIH	No Established Limit	
		NIOSH	No Established Limit	
64742-65-0	Distillates (petroleum), solvent-dewaxed	OSHA	No Established Limit	
	heavy paraffinic	ACGIH	No Established Limit	
		NIOSH	No Established Limit	
72623-87-1	Lubricating Oils (petroleum), C20-50,	OSHA	No Established Limit	
	hydrotreated neutral oil-based	ACGIH	No Established Limit	
		NIOSH	No Established Limit	
84605-29-8	Zinc alkyldithiophosphate	OSHA	No Established Limit	
		ACGIH	No Established Limit	
		NIOSH	No Established Limit	
2241366-04-9	Octadecene, reaction products with	OSHA	No Established Limit	
	hexadecene, hydrogenated	ACGIH	No Established Limit	
		NIOSH	No Established Limit	

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 5 mg/m³ ACGIH.

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes Skin Engineering Controls	Protective safety glasses recommended Avoid skin contact. Protective gloves recommended. Provide adequate ventilation. Where reasonably practicable this should be achieved by the
gg = ee.e	use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.
Check section 2.2 (GHS	Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear to slightly amber Liquid
Odor	Mild Petroleum
Odor threshold	No available information
рН	No available information
Melting point / freezing point	No available information
Initial boiling point and boiling range	No available information
Flash Point	230°C
Evaporation rate (Ether = 1)	No available information
Flammability (solid, gas)	No available information
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information
	Upper Explosive Limit: No available information
Vapor pressure (Pa)	No available information
Vapor Density	No available information
Relative Density	0.855
Solubility in Water	No available information
Partition coefficient n-octanol/water (Log Kow)	No available information
Auto-ignition temperature	No available information
Decomposition temperature	No available information
Viscosity (cSt)	18.5 cSt @ 100°C
VOC Content	
VOC Content	NIL

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity
Hazardous Polymerization will not occur.
10.2. Chemical stability
Stable under normal circumstances.
10.3. Possibility of hazardous reactions
No available information
10.4. Conditions to avoid
Avoid high temperatures and contact with incompatible material
10.5. Incompatible materials

No available information **10.6. Hazardous decomposition products**

No hazardous decomposition data available.

Section 11. Toxicological information

Acute toxicity

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Lubricating Oils (petroleum), C20-50, hydrotreated neutral oil-based - (72623-87-1)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	?	No data available.
Octadecene, reaction products with hexadecene,	No data	No data	No data	No data	No data
hydrogenated - (2241366-04-9)	available.	available.	available.	available.	available.
Distillates (petroleum), solvent-dewaxed light paraffinic - (64742-56-9)	No data	No data	No data	No data	No data
	available.	available.	available.	available.	available.
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	> 5,000.00, Rat -	No data	No data	No data	No data
	Category: NA	available.	available.	available.	available.
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Zinc alkyldithiophosphate - (84605-29-8)	No data	No data	No data	No data	No data
	available.	available.	available.	available.	available.

Carcinogen Data

CAS No.	Ingredient	Source		Value	
64742-54-7	Distillates Hydrotreated Heavy	OSHA	Regulated Ca	rcinogen: No;	
	Parrafin	NTP	Known: No; S	Suspected: No;	
			Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No;	
		ACGIH	No Establishe	d Limit	
64742-56-9	Distillates (petroleum), solvent-	OSHA	Regulated Ca	rcinogen: No;	
	dewaxed light paraffinic	NTP	Known: No; S	Suspected: No;	
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No;	
		ACGIH	TP Known: No; Suspected: No; RC Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; CGIH No Established Limit SHA Regulated Carcinogen: No; TP Known: No; Suspected: No; RC Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; CGIH No Established Limit SHA Regulated Carcinogen: No; RC Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; CGIH No Established Limit SHA Regulated Carcinogen: No; TP Known: No; Suspected: No; TP Known: No; Suspected: No;		
64742-65-0	Distillates (petroleum), solvent-	OSHA	Regulated Ca	rcinogen: No;	
	dewaxed heavy paraffinic	NTP	Known: No; S	Suspected: No;	
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No;	
		ACGIH	No Establishe	d Limit	
72623-87-1	Lubricating Oils (petroleum), C20-	OSHA	Regulated Carcinogen: No;		
	50, hydrotreated neutral oil-based	NTP	Known: No; S	Suspected: No;	
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No;	
		ACGIH	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No; No Established Limit		
84605-29-8	Zinc alkyldithiophosphate	OSHA	Regulated Ca	rcinogen: No;	
		NTP	,	Suspected: No;	
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No;	
		ACGIH	No Established Limit		
2241366-04-9	· · ·	OSHA	Regulated Carcinogen: No;		
	hexadecene, hydrogenated	NTP	Known: No; Suspected: No;		
		IARC	C Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;		
		ACGIH	No Establishe	d Limit	
Classificatio	on	Ca	tegory	Hazard Description	
Acute toxicity	y (oral)			Not Applicable	

Acute toxicity (dermal)	 Not Applicable
Acute toxicity (inhalation)	 Not Applicable
Skin corrosion/irritation	 Not Applicable
Serious eye damage/irritation	 Not Applicable
Respiratory sensitization	 Not Applicable
Skin sensitization	 Not Applicable
Germ cell mutagenicity	 Not Applicable
Carcinogenicity	 Not Applicable
Reproductive toxicity	 Not Applicable
STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Lubricating Oils (petroleum), C20-50, hydrotreated neutral oil-based - (72623-87-1)	No data available.	No data available.	No data available.
Octadecene, reaction products with hexadecene, hydrogenated - (2241366-04-9)	No data available.	No data available.	No data available.
Distillates (petroleum), solvent-dewaxed light paraffinic - (64742-56-9)	No data available.	No data available.	No data available.
Distillates (petroleum), solvent-dewaxed heavy paraffinic - (64742-65-0)	5,000.00, Oncorhynchus mykiss	1,000.00, Daphnia magna	1,000.00, Scenedesmus subspicatus
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	101.00, Pimephales promelas	> 10,000, Daphnia magna	100.00, Pseudokirchneriella subcapitata
Zinc alkyldithiophosphate - (84605-29-8)	No data available.	No data available.	No data available.

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	Not Regulated	Not Regulated	Not Regulated
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated
14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazard	ds		
Marii	ne Pollutant: No;		
14.6. Special precautions f	or user		
No a	vailable information		

Section 15. Regulatory information

Regulatory OverviewThe regulatory data in Section 15 is not intended to be all-inclusive, only selected
regulations are represented.Toxic SubstanceAll components of this material are either listed or exempt from listing on the TSCA

All components of this material are either listed or exempt from listing on the TSCA Inventory.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Zinc alkyldithiophosphate

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Toluene

Control Act (TSCA)

Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Toluene], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	0	1	0	
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	0	1	0	

Chemical Name (CAS		alia Korea	EU	EU	EU	EN NLP	Mexico
Number)	AIC	S ECL	EINECS	ELINCS	SVHC		INSQ

Lubricating Oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	Yes	Yes	Yes	Yes	No	No	No	No
Octadecene, reaction products with hexadecene, hydrogenated (2241366-04- 9)	No	No	No	No	No	No	No	No
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Yes	Yes	Yes	Yes	No	No	No	No
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Yes	Yes	Yes	Yes	No	No	No	Yes
Distillates Hydrotreated Heavy Parrafin (64742-54-7)	Yes	Yes	Yes	Yes	No	No	No	Yes
Zinc alkyldithiophosphate (84605- 29-8)	Yes	Yes	Yes	Yes	No	No	No	No

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines PICCS	New Zealand NZIOC
Lubricating Oils (petroleum), C20-50, hydrotreated neutral oil-based (72623-87-1)	Yes	No	No	No	No	No	Yes	Yes
Octadecene, reaction products with hexadecene, hydrogenated (2241366-04- 9)	No	No	No	No	No	No	No	No
Distillates (petroleum), solvent-dewaxed light paraffinic (64742-56-9)	Yes	No	No	No	No	No	Yes	Yes
Distillates (petroleum), solvent-dewaxed heavy paraffinic (64742-65-0)	Yes	No	No	No	No	No	Yes	Yes
Distillates Hydrotreated Heavy Parrafin (64742-54-7)	Yes	Yes	No	No	No	No	Yes	Yes
Zinc alkyldithiophosphate (84605- 29-8)	Yes	Yes	No	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 07/24/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

This information has been compiled from sources considered to be dependable and is accurate to the best of AOCUSA knowledge. AOCUSA makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. AOCUSA assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

End of Document