

Safety Data Sheet (SDS) AMALIE Paper Machine / Paper Mill Hydraulic Oil 150

Product Code: 847215082160 Revision Date: 05/01/2024

Section 1. Identification

1.1. Product identifier

Product Identity AMALIE Paper Machine / Paper Mill Hydraulic Oil 150

Alternate Names N/A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name AMALIE OIL COMPANY (Florida)

1601 McCloskey Boulevard Tampa, Florida 33605 U.S.A.

Emergency

24 hour Emergency Telephone No. ChemTel 1-800-255-3924 24 hr

Customer Service: (813)248-1988

info@amalie.com www.amalie.com

Section 2. Hazard(s) identification

2.1. Classification of the substance or mixture

Aquatic Acute 3;H402 Harmful to aquatic life.

Aquatic Chronic 3;H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

H412 Harmful to aquatic life with long lasting effects.

[Prevention]

P273 Avoid release to the environment.

[Response]

No GHS response statements

[Storage]

No GHS storage statements

[Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Distillates Hydrotreated Heavy Parrafin CAS Number: 64742-54-7	50 - 75	Not Classified	
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified CAS Number: 64742-70-7	10 - 25	Not Classified	
Zinc alkyldithiophosphate CAS Number: 84605-29-8	1 - 5	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 2;H411	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4. First aid measures

4.1. Description of first aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

Skin Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Overview

Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

^{*}PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value
64742-54-7	Distillates Hydrotreated Heavy Parrafin	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
64742-70-7	Paraffin oils (petroleum), catalytic dewaxed	OSHA	No Established Limit
	heavy; baseoil-unspecified	ACGIH	No Established Limit
		NIOSH	No Established Limit
84605-29-8	Zinc alkyldithiophosphate	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 5 mg/m³ ACGIH.

8.2. Exposure controls

Respiratory If workers are exposed to concentrations above the exposure limit they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Avoid skin contact. Protective gloves recommended.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Clear to slightly amber Liquid

Odor Mild Petroleum

Odor thresholdNo available informationpHNo available informationMelting point / freezing pointNo available informationInitial boiling point and boiling rangeNo available information

Flash Point 265°C

Evaporation rate (Ether = 1)No available information **Flammability (solid, gas)**No available information

Upper/lower flammability or explosive limits Lower Explosive Limit: No available information

Upper Explosive Limit: No available information

Vapor pressure (Pa)No available informationVapor DensityNo available information

Relative Density 0.887

Solubility in Water

Partition coefficient n-octanol/water (Log Kow)

Auto-ignition temperature

No available information

No available information

No available information

No available information

Viscosity (cSt) 150 cSt @ 40°C

VOC Content NIL

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified - (64742-70-7)	No data available.	No data available.	No data available.	No data available.	No data available.
Zinc alkyldithiophosphate - (84605-29-8)	No data available.	No data available.	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source		Value			
64742-54-7	,	OSHA	Regulated Car	rcinogen: No;			
	Parrafin	NTP	Known: No; S	Suspected: No;			
		IARC	Group 1: No;	Group 2a: No; Group 2b: No; Group 3: No;			
			No Establishe	d Limit			
64742-70-7			Regulated Car	ů ,			
	dewaxed heavy; baseoil-unspecified			Suspected: No;			
			-	Group 2a: No; Group 2b: No; Group 3: No;			
			No Established Limit				
84605-29-8	Zinc alkyldithiophosphate		Regulated Car	G .			
				y; Suspected: No;			
				Group 2a: No; Group 2b: No; Group 3: No;			
			CGIH No Established Limit				
Classificatio	n	Category		Hazard Description			
Acute toxicity	(oral)			Not Applicable			
Acute toxicity	(dermal)			Not Applicable			
Acute toxicity	(inhalation)			Not Applicable			
Skin corrosion	n/irritation			Not Applicable			
Serious eye d	lamage/irritation			Not Applicable			
Respiratory s	ensitization			Not Applicable			
Skin sensitization				Not Applicable			
Germ cell mu	tagenicity			Not Applicable			
Carcinogenici	ity			Not Applicable			
Reproductive	toxicity			Not Applicable			

STOT-single exposure	 Not Applicable
STOT-repeated exposure	 Not Applicable
Aspiration hazard	 Not Applicable

Section 12. Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Harmful to aquatic life.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	101.00, Pimephales promelas	> 10,000, Daphnia magna	100.00, Pseudokirchneriella subcapitata
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified - (64742-70-7)	No data available.	No data available.	No data available.
Zinc alkyldithiophosphate - (84605-29-8)	No data available.	No data available.	No data available.

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information

ICAO/IATA

DOT (Domestic Surface IMO / IMDG (Ocean Transportation) **Transportation**) Not Regulated Not Regulated **14.1. UN number** Not Regulated Not Regulated Not Regulated 14.2. UN proper shipping Not Regulated name 14.3. Transport hazard **DOT Hazard Class: Not IMDG:** Not Applicable Air Class: Not Applicable

class(es) Applicable Sub Class: Not Applicable Sub Class: Not Applicable Sub Class: Not Applicable

14.4. Packing group Not Applicable Not Applicable Not Applicable

14.5. Environmental hazards

Marine Pollutant: No;

14.6. Special precautions for user

No available information

Section 15. Regulatory information

Regulatory Overview The regulatory data in Section 15 is not intended to be all-inclusive, only selected

regulations are represented.

Toxic Substance All components of this material are either listed or exempt from listing on the TSCA

Control Act (TSCA) Inventory. EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Zinc alkyldithiophosphate

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Toluene

Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Toluene], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NFPA	Health Hazards	Flammability	Instability	Special Hazards	
	0	1	0		
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection	
	0	1	0		

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Distillates Hydrotreated Heavy Parrafin (64742-54-7)	Yes	Yes	Yes	Yes	No	No	No	Yes
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified (64742- 70-7)	Yes	Yes	Yes	Yes	No	No	No	No
Zinc alkyldithiophosphate (84605- 29-8)	Yes	Yes	Yes	Yes	No	No	No	No

Chemical Name (CAS	China		Japan	Japan	Japan	Japan	Philippines	New
Number)	IECSC	ENCS	ISHL	PDSCL	PRTR 1	PRTR 2	PICCS	NZIOC

Distillates Hydrotreated Heavy Parrafin (64742-54-7)	Yes	Yes	No	No	No	No	Yes	Yes
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified (64742- 70-7)	Yes	No	No	No	No	No	Yes	Yes
Zinc alkyldithiophosphate (84605- 29-8)	Yes	Yes	No	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 05/01/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

This information has been compiled from sources considered to be dependable and is accurate to the best of AOCUSA knowledge. AOCUSA makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. AOCUSA assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

End of Document