

Safety Data Sheet (SDS) AMALE AMALIE R&O/Turbine/Compressor Revision Date: 07/25/2024 Oil (Non-EP) 220

Product Code: 847822082160

Section 1. Identification			
1.1. Product identifier			
Product Identity	AMALIE R&O/Turbine/Compressor Oil (Non-EP) 220		
Alternate Names	N/A		
1.2. Relevant identified uses of the substance or mixted	ure and uses advised against		
Intended use	See Technical Data Sheet.		
1.3. Details of the supplier of the safety data sheet			
Company Name	AMALIE OIL COMPANY (Florida)		
	1601 McCloskey Boulevard		
	Tampa, Florida 33605 U.S.A.		
Emergency			
24 hour Emergency Telephone No.	ChemTel 1-800-255-3924 24 hr		
Customer Service:	(813)248-1988 info@amalie.com www.amalie.com		

Section 2. Hazard(s) identification

2.1. Classification of the substance or mixture

No applicable GHS categories.

2.2. Label elements

No applicable GHS categories.

[Prevention]

No GHS prevention statements

[Response]

No GHS response statements

[Storage]

No GHS storage statements

[Disposal]

No GHS disposal statements

Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified CAS Number: 64742-70-7	50 - 75	Not Classified	
Distillates Hydrotreated Heavy Parrafin CAS Number: 64742-54-7	25 - 50	Not Classified	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

*PBT/vPvB - PBT-substance or vPvB-substance.

The full texts of the phrases are shown in Section 16.

Section 4. First aid measures

4.1. Description of first aid measures

General

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.

Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious, place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.
4.2. Most important syr	nptoms and effects, both acute and delayed
Overview	Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.
	Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.

Section 5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray. Unsuitable extinguishing media: Do not use; water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

5.3. Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

ERG Guide No. ----

Section 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.

6.3. Methods and material for containment and cleaning up

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8. Contain and absorb spillage with non-combustible materials e.g. sand, earth, and vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations.

Section 7. Handling and storage

7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]

7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Strong oxidizing agents and acids.

Check section 2.2 (GHS Label Elements) for further details. - [Storage]

7.3. Specific end use(s)

No available information

Section 8. Exposure controls / personal protection

8.1. Control parameters

Exposure

CAS No.	Ingredient	Source	Value

	Distillates Hydrotreated Heavy Parrafin	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit
64742-70-7	64742-70-7 Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-	OSHA	No Established Limit
	unspecified	ACGIH	No Established Limit
		NIOSH	No Established Limit

Contains mineral oil. The exposure limits for oil mist are 5 mg/m³ OSHA PEL and 5 mg/m³ ACGIH.

8.2. Exposure controls

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Protective safety glasses recommended
Avoid skin contact. Protective gloves recommended.
Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

Section 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear to slightly amber Liquid
Odor	Mild Petroleum
Odor threshold	No available information
рН	No available information
Melting point / freezing point	No available information
Initial boiling point and boiling range	No available information

Flash Point	280°C		
Evaporation rate (Ether = 1)	No available information		
Flammability (solid, gas)	No available information		
Upper/lower flammability or explosive limits	Lower Explosive Limit: No available information		
	Upper Explosive Limit: No available information		
Vapor pressure (Pa)	No available information		
Vapor Density	No available information		
Relative Density	0.884		
Solubility in Water	No available information		
Partition coefficient n-octanol/water (Log Kow)	No available information		
Auto-ignition temperature	No available information		
Decomposition temperature	No available information		
Viscosity (cSt)	220 cSt @ 40°C		
VOC Content	NIL		

9.2. Other information

DMSO extract by IP346: Less than 3.0 wt % (mineral oil component only)

Section 10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No available information

10.4. Conditions to avoid

Excessive heat and open flame.

10.5. Incompatible materials

Strong oxidizing agents and acids.

10.6. Hazardous decomposition products

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Section 11. Toxicological information

Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified - (64742-70-7)	No data available.	No data available.	No data available.	No data available.	No data available.
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)	> 5,000.00, Rat - Category: NA	> 5,000.00, Rabbit - Category: NA	No data available.	No data available.	No data available.

Carcinogen Data

CAS No.	Ingredient	Source	rce Value			
64742-54-7	Distillates Hydrotreated Heavy Parrafin	OSHA	Regulated Carcinogen: No;			
		NTP	Known: No; Suspected: No;			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;			

		ACGIH	No Established Limit			
64742-70-7	OSHA	Regulat	ed Carcinogen: No;			
catalytic dewaxed heavy; baseoil-unspecified		NTP	Known:	No; Suspected: No;		
		IARC	Group 1	: No; Group 2a: No; Group 2b: No; Group 3: No;		
		ACGIH No Established Limit				
Classification		Category		Hazard Description		
Acute toxicity	y (oral)			Not Applicable		
Acute toxicity	y (dermal)			Not Applicable		
Acute toxicity (inhalation)				Not Applicable		
Skin corrosion/irritation				Not Applicable		
Serious eye damage/irritation				Not Applicable		
Respiratory	sensitization			Not Applicable		
Skin sensitiz	ation			Not Applicable		
Germ cell m	utagenicity			Not Applicable		
Carcinogenio	city			Not Applicable		
Reproductive toxicity				Not Applicable		
STOT-single exposure				Not Applicable		
STOT-repeated exposure				Not Applicable		
Aspiration hazard				Not Applicable		

Section 12. Ecological information

12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, ma/L	crustacea	ErC50 algae, mg/L
------------	--------------------------	-----------	----------------------

Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil-unspecified - (64742-70-7)	No data available.	No data available.	No data available.
Distillates Hydrotreated Heavy Parrafin - (64742-54-7)		magna	100.00, Pseudokirchneriella subcapitata

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

No available information

12.4. Mobility in soil

No available information

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No available information

Section 13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

Section 14. Transport information						
	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA			
14.1. UN number	Not Regulated	Not Regulated	Not Regulated			
14.2. UN proper shipping name	Not Regulated	Not Regulated	Not Regulated			

14.3. Transport hazard class(es)	DOT Hazard Class: Not Applicable Sub Class: Not Applicable	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable Sub Class: Not Applicable
14.4. Packing group	Not Applicable	Not Applicable	Not Applicable
14.5. Environmental hazarc	ls		
Marir	ne Pollutant: No;		
14.6. Special precautions for	or user		

No available information

Section 15. Regulatory information	

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Developmental Toxins (>0.0%):

Toluene

Proposition 65 - Female Repro Toxins (>0.0%):

Toluene

Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 Label Warning:



WARNING: This product can expose you to chemicals including [Toluene], which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

NFPA	Health Hazards	Flammability	Instability	Special Hazards
	0	1	0	
HMIS	Health Hazards	Flammability	Physical Hazards	Personal Protection
	0	1	0	

Chemical Name (CAS Number)	US TSCA	Australia AICS	Korea ECL	EU EINECS	EU ELINCS	EU SVHC	EN NLP	Mexico INSQ
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil- unspecified (64742-70- 7)	Yes	Yes	Yes	Yes	No	No	No	No
Distillates Hydrotreated Heavy Parrafin (64742- 54-7)		Yes	Yes	Yes	No	No	No	Yes

Chemical Name (CAS Number)	China IECSC	Japan ENCS	Japan ISHL	Japan PDSCL	Japan PRTR 1	Japan PRTR 2	Philippines	New Zealand NZIOC
Paraffin oils (petroleum), catalytic dewaxed heavy; baseoil- unspecified (64742-70- 7)	Yes	No	No	No	No	No	Yes	Yes
Distillates Hydrotreated Heavy Parrafin (64742-54-7)	Yes	Yes	No	No	No	No	Yes	Yes

Section 16. Other information

Revision Date 07/25/2024

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our

products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

Not Applicable

This information has been compiled from sources considered to be dependable and is accurate to the best of AOCUSA knowledge. AOCUSA makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY OR FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. AOCUSA assumes no responsibility for injury to recipient or third persons, or for any damage to any property and recipient assumes all such risks.

End of Document